



THE STATE
of **ALASKA**
GOVERNOR BILL WALKER

**Department of Environmental
Conservation**

DIVISION OF SPILL PREVENTION AND RESPONSE
Contaminated Sites Program
Laboratory Approval Program

555 Cordova Street
Anchorage, Alaska 99501
Main: 907.465.5390
Fax: 907.269.7649
cs.lab.cert@alaska.gov

April 30, 2018

Nathan Fey
Environmental Monitoring and Technologies, Inc.
8100 North Austin Avenue
Morton Grove, IL 60053

RE: Contaminated Sites Laboratory Provisional Approval **17-011**

Dear Mr. Fey,

Thank you for submitting an application for renewal of your existing approval by the Alaska Department of Environmental Conservation's Contaminated Sites Laboratory Approval Program (CS-LAP). Your lab's current approval expiration date is April 30, 2018, and your application for renewal was submitted on April 27, 2018.

You have informed us that you have just been issued your new scope from PJLA today. As a result, your lab is granted ***Provisionally Approved*** status. This status begins on the expiration date of your current approval (April 30, 2018) and expires on ***May 30, 2018***.

If your application for renewal of approval included requests for new analytes to be added to your approval, those analytes do not have provisional approval. If you have an urgent need for new analytes to be approved, please contact the CS-LAP immediately so that a separate provisional approval can be issued.

Please note that "provisionally approved" status under 18 AAC 78.810(1)(A) means that your lab can continue operate as a CS-LAP approved lab under your existing CS-LAP approval until the department is able to complete review of your application. To reiterate – A "provisionally approved" lab is treated just like an "approved" lab. Clients, regulators, and other groups should view a "provisionally approved" lab just as they would view an "approved" lab.

Be aware that **any** changes in your NELAP or DoD-ELAP approval status must be reported to the CS program within 3 business days. Failure to do so will result in revocation of **all** CS-LAP approvals for a period of one year. Notification should be in writing sent to cs.lab.cert@alaska.gov. We recommend also contacting the CS-LAP by telephone to verify that the message was received.

If you have any questions, please contact the CS-LAP at (907) 465-5390, or by email at cs.lab.cert@alaska.gov. Labs are also highly encouraged to join the CS-LAP listserv by going to <http://list.state.ak.us/mailman/listinfo/cs.lab.approval>.

Respectfully,

A handwritten signature in cursive script that reads "Brian Englund". The signature is written in black ink and is positioned above the typed name.

Brian Englund
Alaska CS Lab Approval Officer