



PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Laboratory of:

Environmental Monitoring & Technologies, Inc.
8100 North Austin Avenue, Morton Grove, IL 60053

(Hereinafter called the Organization) and hereby declares that Organization has met the requirements of ISO/IEC 17025:2005 “General Requirements for the competence of Testing and Calibration Laboratories” and the DoD Quality Systems Manual for Environmental Laboratories Version 5.0 July 2013 and is accredited in accordance with the:

**United States Department of Defense
Environmental Laboratory Accreditation Program
(DoD-ELAP)**

***This accreditation demonstrates technical competence for the defined scope:
Environmental Testing
(As detailed in the supplement)***

Accreditation claims for such testing and/or calibration services shall only be made from addresses referenced within this certificate. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body’s duty to observe and comply with the said rules.

For PJLA:

Tracy Szerszen
President/Operations Manager

Initial Accreditation Date:

January 13, 2013

Issue Date:

April 28, 2016

Expiration Date:

April 30, 2018

Accreditation No.:

75537

Certificate No.:

L16-176

Perry Johnson Laboratory
Accreditation, Inc. (PJLA)
755 W. Big Beaver, Suite 1325
Troy, Michigan 48084

The validity of this certificate is maintained through ongoing assessments based on a continuous accreditation cycle. The validity of this certificate should be confirmed through the PJLA website: www.pjlabs.com



Certificate of Accreditation: Supplement
ISO/IEC 17025:2005 and DoD-ELAP

Environmental Monitoring & Technologies, Inc.

8100 North Austin Avenue, Morton Grove, IL 60053
Contact: Sabina Stankevicius Phone: 847-324-3334

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	EPA 120.1/SM 2510B	ISE	Specific Conductance
Aqueous	EPA 300.0	Ion Chromatography	Nitrate + Nitrite
Aqueous	EPA 300.0/EPA 9056A	Ion Chromatography	Nitrite as N
Aqueous	EPA 624	GCMS	1,1,1-Trichloroethane
Aqueous	EPA 624	GCMS	1,1,2,2-Tetrachloroethane
Aqueous	EPA 624	GCMS	1,1,2-Trichloroethane
Aqueous	EPA 624	GCMS	1,1-Dichloroethane
Aqueous	EPA 624	GCMS	1,1-Dichloroethylene
Aqueous	EPA 624	GCMS	1,2-Dichlorobenzene
Aqueous	EPA 624	GCMS	1,2-Dichloroethane
Aqueous	EPA 624	GCMS	1,2-Dichloropropane
Aqueous	EPA 624	GCMS	1,3-Dichlorobenzene
Aqueous	EPA 624	GCMS	1,4-Dichlorobenzene
Aqueous	EPA 624	GCMS	2-Chloroethyl vinyl ether
Aqueous	EPA 624	GCMS	Acrolein (Propenal)
Aqueous	EPA 624	GCMS	Acrylonitrile
Aqueous	EPA 624	GCMS	Benzene
Aqueous	EPA 624	GCMS	Bromodichloromethane
Aqueous	EPA 624	GCMS	Bromoform
Aqueous	EPA 624	GCMS	Bromomethane
Aqueous	EPA 624	GCMS	Carbon tetrachloride
Aqueous	EPA 624	GCMS	Chlorobenzene
Aqueous	EPA 624	GCMS	Chloroethane
Aqueous	EPA 624	GCMS	Chloroform
Aqueous	EPA 624	GCMS	Chloromethane
Aqueous	EPA 624	GCMS	cis-1,2-Dichloroethylene
Aqueous	EPA 624	GCMS	cis-1,3-Dichloropropylene
Aqueous	EPA 624	GCMS	Dibromochloromethane
Aqueous	EPA 624	GCMS	Ethylbenzene
Aqueous	EPA 624	GCMS	Methyl tert-butyl ether (MTBE)
Aqueous	EPA 624	GCMS	Methylene chloride
Aqueous	EPA 624	GCMS	Tetrachloroethylene
Aqueous	EPA 624	GCMS	Toluene
Aqueous	EPA 624	GCMS	trans-1,2-Dichloroethylene



Certificate of Accreditation: Supplement
ISO/IEC 17025:2005 and DoD-ELAP

Environmental Monitoring & Technologies, Inc.

8100 North Austin Avenue, Morton Grove, IL 60053
Contact: Sabina Stankevicius Phone: 847-324-3334

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	EPA 624	GCMS	trans-1,3-Dichloropropylene
Aqueous	EPA 624	GCMS	Trichlorethylene
Aqueous	EPA 624	GCMS	Trichlorofluoromethane
Aqueous	EPA 624	GCMS	Vinyl chloride
Aqueous	EPA 624	GCMS	Xylenes, total
Aqueous	EPA 625	GCMS	1,2,4-Trichlorobenzene
Aqueous	EPA 625	GCMS	1,2-Dichlorobenzene
Aqueous	EPA 625	GCMS	1,3-Dichlorobenzene
Aqueous	EPA 625	GCMS	1,4-Dichlorobenzene
Aqueous	EPA 625	GCMS	2,4,5-Trichlorophenol
Aqueous	EPA 625	GCMS	2,4,6-Trichlorophenol
Aqueous	EPA 625	GCMS	2,4-Dichlorophenol
Aqueous	EPA 625	GCMS	2,4-Dimethylphenol
Aqueous	EPA 625	GCMS	2,4-Dinitrophenol
Aqueous	EPA 625	GCMS	2,4-Dinitrotoluene
Aqueous	EPA 625	GCMS	2,6-Dinitrotoluene
Aqueous	EPA 625	GCMS	2-Chloronaphthalene
Aqueous	EPA 625	GCMS	2-Chlorophenol
Aqueous	EPA 625	GCMS	2-Methyl-4,6-dinitrophenol
Aqueous	EPA 625	GCMS	2-Nitrophenol
Aqueous	EPA 625	GCMS	3,3'-Dichlorobenzidine
Aqueous	EPA 625	GCMS	4-Bromophenyl-phenylether
Aqueous	EPA 625	GCMS	4-Chloro-3-methylphenol
Aqueous	EPA 625	GCMS	4-Chlorophenyl-phenylether
Aqueous	EPA 625	GCMS	4-Nitrophenol
Aqueous	EPA 625	GCMS	Acenaphthene
Aqueous	EPA 625	GCMS	Acenaphthylene
Aqueous	EPA 625	GCMS	Anthracene
Aqueous	EPA 625	GCMS	Benzidine
Aqueous	EPA 625	GCMS	Benzo(a)anthracene
Aqueous	EPA 625	GCMS	Benzo(a)pyrene
Aqueous	EPA 625	GCMS	Benzo(b)fluoranthene
Aqueous	EPA 625	GCMS	Benzo(g,h,i)perylene
Aqueous	EPA 625	GCMS	Benzo(k)fluoranthene
Aqueous	EPA 625	GCMS	bis(2-Chloroethoxy)methane



Certificate of Accreditation: Supplement
ISO/IEC 17025:2005 and DoD-ELAP

Environmental Monitoring & Technologies, Inc.

8100 North Austin Avenue, Morton Grove, IL 60053
Contact: Sabina Stankevicius Phone: 847-324-3341

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	EPA 625	GCMS	bis(2-Chloroethyl)ether
Aqueous	EPA 625	GCMS	bis(2-Chloroisopropyl)ether
Aqueous	EPA 625	GCMS	Butylbenzylphthalate
Aqueous	EPA 625	GCMS	Chrysene
Aqueous	EPA 625	GCMS	Dibenz(a,h)anthracene
Aqueous	EPA 625	GCMS	Diethylphthalate
Aqueous	EPA 625	GCMS	Dimethylphthalate
Aqueous	EPA 625	GCMS	Di-n-butylphthalate
Aqueous	EPA 625	GCMS	Di-n-octylphthalate
Aqueous	EPA 625	GCMS	Fluorene
Aqueous	EPA 625	GCMS	Fluoroanthene
Aqueous	EPA 625	GCMS	Hexachlorobenzene
Aqueous	EPA 625	GCMS	Hexachlorobutadiene
Aqueous	EPA 625	GCMS	Hexachlorocyclopentadiene
Aqueous	EPA 625	GCMS	Hexachloroethane
Aqueous	EPA 625	GCMS	Indeno(1,2,3-cd)pyrene
Aqueous	EPA 625	GCMS	Isophorone
Aqueous	EPA 625	GCMS	Naphthalene
Aqueous	EPA 625	GCMS	Nitrobenzene
Aqueous	EPA 625	GCMS	N-Nitro-di-n-propylamine
Aqueous	EPA 625	GCMS	N-Nitrosodimethylamine
Aqueous	EPA 625	GCMS	N-Nitrosodiphenylamine
Aqueous	EPA 625	GCMS	Pentachlorophenol
Aqueous	EPA 625	GCMS	Phenanthrene
Aqueous	EPA 625	GCMS	Phenol
Aqueous	EPA 625	GCMS	Pyrene
Aqueous	EPA 8260B	GCMS	1,2- Dichloroethene (total)
Aqueous	EPA 8260B	GCMS	cis-1, 2- Dichloroethene
Aqueous	EPA 8260B	GCMS	trans-1, 2- Dichloroethene
Aqueous	EPA 8260B	GCMS	Diethyl ether
Aqueous	EPA 8260B	GCMS	Hexachlorobutadiene
Aqueous	EPA 9040C	ISE	pH Meter
Aqueous	HACH 8000	Colormetric	COD
Aqueous	SM 2340B	ICP-AES	Calcium hardness (CaCO3)
Aqueous	SM 2340B	ICP-AES	Total Hardness (CaCO3)



Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

Environmental Monitoring & Technologies, Inc.

8100 North Austin Avenue, Morton Grove, IL 60053
 Contact: Sabina Stankevicius Phone: 847-324-3341

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	SM 2540B	Gravimetric	Total Solids at 105C
Aqueous	SM 2540D	Gravimetric	Total Suspended Solids
Aqueous	SM 2540E/SM 2540G/EPA 160.4	Gravimetric	Volatile Solids
Aqueous	SM 2540F	Gravimetric	Settleable Solids
Aqueous	SM 2310B	Titrimetric	Acidity
Aqueous	SM 2320B	Titrimetric	Alkalinity as CaCO ₃
Aqueous	SM 2540C	Gravimetric	Total Dissolved Solids
Aqueous	SM 4500- CL C	Titrimetric	Chloride
Aqueous	SM 4500-CL G	ISE	Chlorine, Residual
Aqueous	SM 4500-CN G	Colorimetric	Cyanide, Amenable to Chlorination
Aqueous	SM 4500- F C	ISE	Fluoride
Aqueous	SM 4500-NH ₃ C	ISE	Ammonia as N
Aqueous	SM 4500-NH ₃ C	ISE	TKN
Aqueous	SM 4500-NO ₂ B	Colorimetric	Nitrite as N
Aqueous	SM 4500-NO ₃ E	ISE	Nitrate+Nitrite as N
Aqueous	SM 4500-P E	Colorimetric	Ortho-phosphate as P
Aqueous	SM 4500-P E	Colorimetric	Total phosphorus as P
Aqueous	SM 4500-P F	Colorimetric	Ortho-phosphate as P
Aqueous	SM 4500-P F	Colorimetric	Total phosphorus as P
Aqueous	SM 4500-S D	Colorimetric	Sulfide
Aqueous	SM 5210B	UV-Vis	BOD
Aqueous	SM 5210B	UV-Vis	CBOD
Aqueous	SM 5310C/9060A	UV-Vis	TOC
Solid	AK 103	GC-FID	RRO
Aqueous/Solid	AK 101	GC-FID	GRO
Aqueous/Solid	AK 102	GC-FID	DRO
Aqueous/Solid	EPA 1664A/9070A	Gravimetric	Grease & Oil (Gravimetric)
Aqueous/Solid	EPA 200.7 Rev 4.4/ EPA 6010B,C	ICP-AES	Aluminum
Aqueous/Solid	EPA 200.7 Rev 4.4/ EPA 6010B,C	ICP-AES	Antimony
Aqueous/Solid	EPA 200.7 Rev 4.4/EPA 6010B,C	ICP-AES	Arsenic
Aqueous/Solid	EPA 200.7 Rev 4.4/EPA 6010B,C	ICP-AES	Barium
Aqueous/Solid	EPA 200.7 Rev 4.4/EPA 6010B,C	ICP-AES	Beryllium
Aqueous/Solid	EPA 200.7 Rev 4.4/EPA 6010B,C	ICP-AES	Boron
Aqueous/Solid	EPA 200.7 Rev 4.4/EPA 6010B,C	ICP-AES	Cadmium



Certificate of Accreditation: Supplement
 ISO/IEC 17025:2005 and DoD-ELAP

Environmental Monitoring & Technologies, Inc.

8100 North Austin Avenue, Morton Grove, IL 60053
 Contact: Sabina Stankevicius Phone: 847-324-3334

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid	EPA 200.7 Rev 4.4/EPA 6010B,C	ICP-AES	Calcium
Aqueous/Solid	EPA 200.7 Rev 4.4/EPA 6010B,C	ICP-AES	Chromium
Aqueous/Solid	EPA 200.7 Rev 4.4/EPA 6010B,C	ICP-AES	Cobalt
Aqueous/Solid	EPA 200.7 Rev 4.4/EPA 6010B,C	ICP-AES	Copper
Aqueous/Solid	EPA 200.7 Rev 4.4/EPA 6010B,C	ICP-AES	Iron
Aqueous/Solid	EPA 200.7 Rev 4.4/EPA 6010B,C	ICP-AES	Lead
Aqueous/Solid	EPA 200.7 Rev 4.4/EPA 6010B,C	ICP-AES	Magnesium
Aqueous/Solid	EPA 200.7 Rev 4.4/EPA 6010B,C	ICP-AES	Manganese
Aqueous/Solid	EPA 200.7 Rev 4.4/EPA 6010B,C	ICP-AES	Molybdenum
Aqueous/Solid	EPA 200.7 Rev 4.4/EPA 6010B,C	ICP-AES	Nickel
Aqueous/Solid	EPA 200.7 Rev 4.4/EPA 6010B,C	ICP-AES	Potassium
Aqueous/Solid	EPA 200.7 Rev 4.4/EPA 6010B,C	ICP-AES	Selenium
Aqueous/Solid	EPA 200.7 Rev 4.4/EPA 6010B,C	ICP-AES	Silver
Aqueous/Solid	EPA 200.7 Rev 4.4/EPA 6010B,C	ICP-AES	Sodium
Aqueous/Solid	EPA 200.7 Rev 4.4/EPA 6010B,C	ICP-AES	Strontium
Aqueous/Solid	EPA 200.7 Rev 4.4/EPA 6010B,C	ICP-AES	Thallium
Aqueous/Solid	EPA 200.7 Rev 4.4/EPA 6010B,C	ICP-AES	Tin
Aqueous/Solid	EPA 200.7 Rev 4.4/EPA 6010B,C	ICP-AES	Titanium
Aqueous/Solid	EPA 200.7 Rev 4.4/EPA 6010B,C	ICP-AES	Total phosphorus as P
Aqueous/Solid	EPA 200.7 Rev 4.4/EPA 6010B,C	ICP-AES	Vanadium
Aqueous/Solid	EPA 200.7 Rev 4.4/EPA 6010B,C	ICP-AES	Zinc
Aqueous/Solid	EPA 200.8 Rev 5.4	ICP-MS	Total phosphorus as P
Aqueous/Solid	EPA 200.8 Rev 5.4/ EPA 6020A	ICP-MS	Aluminum
Aqueous/Solid	EPA 200.8 Rev 5.4/ EPA 6020A	ICP-MS	Antimony
Aqueous/Solid	EPA 200.8 Rev 5.4/ EPA 6020A	ICP-MS	Arsenic
Aqueous/Solid	EPA 200.8 Rev 5.4/ EPA 6020A	ICP-MS	Barium
Aqueous/Solid	EPA 200.8 Rev 5.4/ EPA 6020A	ICP-MS	Beryllium
Aqueous/Solid	EPA 200.8 Rev 5.4/ EPA 6020A	ICP-MS	Boron
Aqueous/Solid	EPA 200.8 Rev 5.4/ EPA 6020A	ICP-MS	Cadmium
Aqueous/Solid	EPA 200.8 Rev 5.4/ EPA 6020A	ICP-MS	Calcium
Aqueous/Solid	EPA 200.8 Rev 5.4/ EPA 6020A	ICP-MS	Chromium
Aqueous/Solid	EPA 200.8 Rev 5.4/ EPA 6020A	ICP-MS	Cobalt
Aqueous/Solid	EPA 200.8 Rev 5.4/ EPA 6020A	ICP-MS	Copper
Aqueous/Solid	EPA 200.8 Rev 5.4/ EPA 6020A	ICP-MS	Iron
Aqueous/Solid	EPA 200.8 Rev 5.4/ EPA 6020A	ICP-MS	Lead



Certificate of Accreditation: Supplement
ISO/IEC 17025:2005 and DoD-ELAP

Environmental Monitoring & Technologies, Inc.

8100 North Austin Avenue, Morton Grove, IL 60053
Contact: Sabina Stankevicius Phone: 847-324-3341

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid	EPA 200.8 Rev 5.4/ EPA 6020A	ICP-MS	Magnesium
Aqueous/Solid	EPA 200.8 Rev 5.4/ EPA 6020A	ICP-MS	Manganese
Aqueous/Solid	EPA 200.8 Rev 5.4/ EPA 6020A	ICP-MS	Molybdenum
Aqueous/Solid	EPA 200.8 Rev 5.4/ EPA 6020A	ICP-MS	Nickel
Aqueous/Solid	EPA 200.8 Rev 5.4/ EPA 6020A	ICP-MS	Potassium
Aqueous/Solid	EPA 200.8 Rev 5.4/ EPA 6020A	ICP-MS	Selenium
Aqueous/Solid	EPA 200.8 Rev 5.4/ EPA 6020A	ICP-MS	Silver
Aqueous/Solid	EPA 200.8 Rev 5.4/ EPA 6020A	ICP-MS	Sodium
Aqueous/Solid	EPA 200.8 Rev 5.4/ EPA 6020A	ICP-MS	Strontium
Aqueous/Solid	EPA 200.8 Rev 5.4/ EPA 6020A	ICP-MS	Thallium
Aqueous/Solid	EPA 200.8 Rev 5.4/ EPA 6020A	ICP-MS	Tin
Aqueous/Solid	EPA 200.8 Rev 5.4/ EPA 6020A	ICP-MS	Titanium
Aqueous/Solid	EPA 200.8 Rev 5.4/ EPA 6020A	ICP-MS	Vanadium
Aqueous/Solid	EPA 200.8 Rev 5.4/ EPA 6020A	ICP-MS	Zinc
Aqueous/Solid	EPA 245.1 Rev 3.0/ EPA 7470A/ EPA 7471B	CVAA	Mercury
Aqueous/Solid	EPA 300.0/9056A	Ion Chromatography	Bromide
Aqueous/Solid	EPA 300.0/9056A	Ion Chromatography	Chloride
Aqueous/Solid	EPA 300.0/9056A	Ion Chromatography	Fluoride
Aqueous/Solid	EPA 300.0/9056A	Ion Chromatography	Nitrate as N
Aqueous/Solid	EPA 300.0/9056A	Ion Chromatography	Ortho-phosphate as P
Aqueous/Solid	EPA 300.0/9056A	Ion Chromatography	Sulfate
Aqueous/Solid	EPA 420.1/EPA9065	Colorimetric	Total Phenolics
Aqueous/Solid	EPA 608/EPA 8081B	GC-ECD	4,4'-DDD
Aqueous/Solid	EPA 608/EPA 8081B	GC-ECD	4,4'-DDE
Aqueous/Solid	EPA 608/EPA 8081B	GC-ECD	4,4'-DDT
Aqueous/Solid	EPA 608/EPA 8081B	GC-ECD	Aldrin
Aqueous/Solid	EPA 608/EPA 8081B	GC-ECD	alpha-Chlordane
Aqueous/Solid	EPA 608/EPA 8081B	GC-ECD	alph-BHC
Aqueous/Solid	EPA 608/EPA 8081B	GC-ECD	beta-BHC
Aqueous/Solid	EPA 608/EPA 8081B	GC-ECD	Chlordane
Aqueous/Solid	EPA 608/EPA 8081B	GC-ECD	delta-BHC
Aqueous/Solid	EPA 608/EPA 8081B	GC-ECD	Dieldrin
Aqueous/Solid	EPA 608/EPA 8081B	GC-ECD	Endosulfan I
Aqueous/Solid	EPA 608/EPA 8081B	GC-ECD	Endosulfan II



Certificate of Accreditation: Supplement
ISO/IEC 17025:2005 and DoD-ELAP

Environmental Monitoring & Technologies, Inc.

8100 North Austin Avenue, Morton Grove, IL 60053
Contact: Sabina Stankevicius Phone: 847-324-3341

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid	EPA 608/EPA 8081B	GC-ECD	Endosulfan sulfate
Aqueous/Solid	EPA 608/EPA 8081B	GC-ECD	Endrin
Aqueous/Solid	EPA 608/EPA 8081B	GC-ECD	Endrin aldehyde
Aqueous/Solid	EPA 608/EPA 8081B	GC-ECD	Endrin ketone
Aqueous/Solid	EPA 608/EPA 8081B	GC-ECD	gamma-BHC (Lindane)
Aqueous/Solid	EPA 608/EPA 8081B	GC-ECD	gamma-Chlordane
Aqueous/Solid	EPA 608/EPA 8081B	GC-ECD	Heptachlor
Aqueous/Solid	EPA 608/EPA 8081B	GC-ECD	Heptachlor epoxide
Aqueous/Solid	EPA 608/EPA 8081B	GC-ECD	Methoxychlor
Aqueous/Solid	EPA 608/EPA 8081B	GC-ECD	Toxaphene
Aqueous/Solid	EPA 608/EPA 8082A	GC-ECD	Aroclor 1016
Aqueous/Solid	EPA 608/EPA 8082A	GC-ECD	Aroclor 1221
Aqueous/Solid	EPA 608/EPA 8082A	GC-ECD	Aroclor 1232
Aqueous/Solid	EPA 608/EPA 8082A	GC-ECD	Aroclor 1242
Aqueous/Solid	EPA 608/EPA 8082A	GC-ECD	Aroclor 1248
Aqueous/Solid	EPA 608/EPA 8082A	GC-ECD	Aroclor 1254
Aqueous/Solid	EPA 608/EPA 8082A	GC-ECD	Aroclor 1260
Aqueous/Solid	EPA 608/EPA 8082, EPA 8082A	GC-ECD	Aroclor 1262
Aqueous/Solid	EPA 608/EPA 8082, EPA 8082A	GC-ECD	Aroclor 1268
Aqueous/Solid	EPA 8015B	GC-FID	DRO
Aqueous/Solid	EPA 8015B	GC-FID	Ethanol
Aqueous/Solid	EPA 8015B	GC-FID	Ethylene Glycol
Aqueous/Solid	EPA 8015B	GC-FID	GRO
Aqueous/Solid	EPA 8015B	GC-FID	Methanol
Aqueous/Solid	EPA 8260B	GCMS	1,1,1,2-Tetrachloroethane
Aqueous/Solid	EPA 8260B	GCMS	1,1,1-Trichloroethane
Aqueous/Solid	EPA 8260B	GCMS	1,1,2,2-Tetrachloroethane
Aqueous/Solid	EPA 8260B	GCMS	1,1,2-Trichlorethane
Aqueous/Solid	EPA 8260B	GCMS	1,1-Dichloroethane
Aqueous/Solid	EPA 8260B	GCMS	1,1-Dichloroethylene
Aqueous/Solid	EPA 8260B	GCMS	1,1-Dichloropropene
Aqueous/Solid	EPA 8260B	GCMS	1,2,3-Trichlorobenzene
Aqueous/Solid	EPA 8260B	GCMS	1,2,3-Trichloropropane
Aqueous/Solid	EPA 8260B	GCMS	1,2,4-Trichlorobenzene
Aqueous/Solid	EPA 8260B	GCMS	1,2,4-Trimethylbenzene



Certificate of Accreditation: Supplement
ISO/IEC 17025:2005 and DoD-ELAP

Environmental Monitoring & Technologies, Inc.

8100 North Austin Avenue, Morton Grove, IL 60053
Contact: Sabina Stankevicius Phone: 847-324-3341

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid	EPA 8260B	GCMS	1,2-Dibromo-3-chloropropane (DBCP)
Aqueous/Solid	EPA 8260B	GCMS	1,2-Dibromoethane (EDB)
Aqueous/Solid	EPA 8260B	GCMS	1,2-Dichlorobenzene
Aqueous/Solid	EPA 8260B	GCMS	1,2-Dichloroethane
Aqueous/Solid	EPA 8260B	GCMS	1,2-Dichloropropane
Aqueous/Solid	EPA 8260B	GCMS	1,3,5-Trimethylbenzene
Aqueous/Solid	EPA 8260B	GCMS	1,3-Dichlorobenzene
Aqueous/Solid	EPA 8260B	GCMS	1,3-Dichloropropane
Aqueous/Solid	EPA 8260B	GCMS	1,4-Dichlorobenzene
Aqueous/Solid	EPA 8260B	GCMS	1,4-Dioxane
Aqueous/Solid	EPA 8260B	GCMS	1-Propanol
Aqueous/Solid	EPA 8260B	GCMS	2,2-Dichloropropane
Aqueous/Solid	EPA 8260B	GCMS	2-Butanone (MEK)
Aqueous/Solid	EPA 8260B	GCMS	2-Chloroethyl vinyl ether
Aqueous/Solid	EPA 8260B	GCMS	2-Chlorotoluene
Aqueous/Solid	EPA 8260B	GCMS	2-Hexanone
Aqueous/Solid	EPA 8260B	GCMS	4-Chlorotoluene (p-Chlorotoluene)
Aqueous/Solid	EPA 8260B	GCMS	4-Isopropyltoluene (p-Isopropyltoluene)
Aqueous/Solid	EPA 8260B	GCMS	Acetone
Aqueous/Solid	EPA 8260B	GCMS	Acetonitrile
Aqueous/Solid	EPA 8260B	GCMS	Acrolein (Propenal)
Aqueous/Solid	EPA 8260B	GCMS	Acrylonitrile
Aqueous/Solid	EPA 8260B	GCMS	Benzene
Aqueous/Solid	EPA 8260B	GCMS	Bromobenzene
Aqueous/Solid	EPA 8260B	GCMS	Bromochloromethane (from Bromochloroethane)
Aqueous/Solid	EPA 8260B	GCMS	Bromodichloromethane
Aqueous/Solid	EPA 8260B	GCMS	Bromoform
Aqueous/Solid	EPA 8260B	GCMS	Bromomethane
Aqueous/Solid	EPA 8260B	GCMS	Carbon disulfide
Aqueous/Solid	EPA 8260B	GCMS	Carbon tetrachloride
Aqueous/Solid	EPA 8260B	GCMS	Chlorobenzene
Aqueous/Solid	EPA 8260B	GCMS	Chloroethane
Aqueous/Solid	EPA 8260B	GCMS	Chloroform



Certificate of Accreditation: Supplement
ISO/IEC 17025:2005 and DoD-ELAP

Environmental Monitoring & Technologies, Inc.

8100 North Austin Avenue, Morton Grove, IL 60053
Contact: Sabina Stankevicius Phone: 847-324-3341

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid	EPA 8260B	GCMS	Chloromethane
Aqueous/Solid	EPA 8260B	GCMS	cis-1,2-Dichloroethylene
Aqueous/Solid	EPA 8260B	GCMS	cis-1,3-Dichloropropylene
Aqueous/Solid	EPA 8260B	GCMS	Cyclohexane
Aqueous/Solid	EPA 8260B	GCMS	Dibromochloromethane
Aqueous/Solid	EPA 8260B	GCMS	Dibromomethane
Aqueous/Solid	EPA 8260B	GCMS	Dichlorodifluoromethane
Aqueous/Solid	EPA 8260B	GCMS	Ethylbenzene
Aqueous/Solid	EPA 8260B	GCMS	Isobutanol (2-Methyl-1-propanol, Isobutyl OH)
Aqueous/Solid	EPA 8260B	GCMS	Isopropanol (2-Propanol, Isopropyl OH)
Aqueous/Solid	EPA 8260B	GCMS	Isopropylbenzene
Aqueous/Solid	EPA 8260B	GCMS	m,p-Xylene
Aqueous/Solid	EPA 8260B	GCMS	Methyl tert-butyl ether (MTBE)
Aqueous/Solid	EPA 8260B	GCMS	Methylene chloride
Aqueous/Solid	EPA 8260B	GCMS	MIBK
Aqueous/Solid	EPA 8260B	GCMS	Naphthalene
Aqueous/Solid	EPA 8260B	GCMS	n-Butylbenzene
Aqueous/Solid	EPA 8260B	GCMS	n-Propylbenzene
Aqueous/Solid	EPA 8260B	GCMS	o-Xylene
Aqueous/Solid	EPA 8260B	GCMS	sec-Butylbenzene
Aqueous/Solid	EPA 8260B	GCMS	Styrene
Aqueous/Solid	EPA 8260B	GCMS	tert-Butylbenzene
Aqueous/Solid	EPA 8260B	GCMS	Tetrachloroethylene
Aqueous/Solid	EPA 8260B	GCMS	Toluene
Aqueous/Solid	EPA 8260B	GCMS	trans-1,2-Dichloroethylene
Aqueous/Solid	EPA 8260B	GCMS	trans-1,3-Dichloropropylene
Aqueous/Solid	EPA 8260B	GCMS	Trichlorethylene
Aqueous/Solid	EPA 8260B	GCMS	Trichlorofluoromethane
Aqueous/Solid	EPA 8260B	GCMS	Vinyl acetate
Aqueous/Solid	EPA 8260B	GCMS	Vinyl chloride
Aqueous/Solid	EPA 8260B	GCMS	Xylenes, total
Aqueous/Solid	EPA 8270D	GCMS	1,2,4-Trichlorobenzene
Aqueous/Solid	EPA 8270D	GCMS	1,2-Dichlorobenzene
Aqueous/Solid	EPA 8270D	GCMS	1,3-Dichlorobenzene



Certificate of Accreditation: Supplement
ISO/IEC 17025:2005 and DoD-ELAP

Environmental Monitoring & Technologies, Inc.

8100 North Austin Avenue, Morton Grove, IL 60053
Contact: Sabina Stankevicius Phone: 847-324-3341

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid	EPA 8270D	GCMS	1,4-Dichlorobenzene
Aqueous/Solid	EPA 8270D	GCMS	1-Methylnaphthalene
Aqueous/Solid	EPA 8270D	GCMS	2,4,5-Trichlorophenol
Aqueous/Solid	EPA 8270D	GCMS	2,4,6-Trichlorophenol
Aqueous/Solid	EPA 8270D	GCMS	2,4-Dichlorophenol
Aqueous/Solid	EPA 8270D	GCMS	2,4-Dimethylphenol
Aqueous/Solid	EPA 8270D	GCMS	2,4-Dinitrophenol
Aqueous/Solid	EPA 8270D	GCMS	2,4-Dinitrotoluene
Aqueous/Solid	EPA 8270D	GCMS	2,6-Dichlorophenol
Aqueous/Solid	EPA 8270D	GCMS	2,6-Dinitrotoluene
Aqueous/Solid	EPA 8270D	GCMS	2-Chloronaphthalene
Aqueous/Solid	EPA 8270D	GCMS	2-Chlorophenol
Aqueous/Solid	EPA 8270D	GCMS	2-Methyl-4,6-dinitrophenol
Aqueous/Solid	EPA 8270D	GCMS	2-Methylnaphthalene
Aqueous/Solid	EPA 8270D	GCMS	2-Methylphenol
Aqueous/Solid	EPA 8270D	GCMS	2-Nitroaniline
Aqueous/Solid	EPA 8270D	GCMS	2-Nitrophenol
Aqueous/Solid	EPA 8270D	GCMS	3 & 4-Methylpheno l (or 4-methylphenol)
Aqueous/Solid	EPA 8270D	GCMS	3,3'-Dichlorobenzidine
Aqueous/Solid	EPA 8270D	GCMS	3-Nitroaniline
Aqueous/Solid	EPA 8270D	GCMS	4-Bromophenyl-phenylether
Aqueous/Solid	EPA 8270D	GCMS	4-Chloro-3-methylphenol
Aqueous/Solid	EPA 8270D	GCMS	4-Chloroaniline
Aqueous/Solid	EPA 8270D	GCMS	4-Chlorophenyl-phenylether
Aqueous/Solid	EPA 8270D	GCMS	4-Nitroaniline
Aqueous/Solid	EPA 8270D	GCMS	4-Nitrophenol
Aqueous/Solid	EPA 8270D	GCMS	Acenaphthene
Aqueous/Solid	EPA 8270D	GCMS	Acenaphthylene
Aqueous/Solid	EPA 8270D	GCMS	Aniline
Aqueous/Solid	EPA 8270D	GCMS	Anthracene
Aqueous/Solid	EPA 8270D	GCMS	Azobenzene as 1,2-Diphenylhydrazine
Aqueous/Solid	EPA 8270D	GCMS	Benzidine
Aqueous/Solid	EPA 8270D	GCMS	Benzo(a)anthracene
Aqueous/Solid	EPA 8270D	GCMS	Benzo(a)pyrene



Certificate of Accreditation: Supplement
ISO/IEC 17025:2005 and DoD-ELAP

Environmental Monitoring & Technologies, Inc.

8100 North Austin Avenue, Morton Grove, IL 60053
Contact: Sabina Stankevicius Phone: 847-324-3341

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid	EPA 8270D	GCMS	Benzo(b)fluoranthene
Aqueous/Solid	EPA 8270D	GCMS	Benzo(g,h,i)perylene
Aqueous/Solid	EPA 8270D	GCMS	Benzo(k)fluoranthene
Aqueous/Solid	EPA 8270D	GCMS	Benzoic acid
Aqueous/Solid	EPA 8270D	GCMS	Benzyl alcohol
Aqueous/Solid	EPA 8270D	GCMS	bis(2-Chloroethoxy)methane
Aqueous/Solid	EPA 8270D	GCMS	bis(2-Chloroethyl)ether
Aqueous/Solid	EPA 8270D	GCMS	bis(2-Chloroisopropyl)ether
Aqueous/Solid	EPA 8270D	GCMS	bis(2-ethylhexyl)phthalate
Aqueous/Solid	EPA 8270D	GCMS	Butylbenzylphthalate
Aqueous/Solid	EPA 8270D	GCMS	Carbazole
Aqueous/Solid	EPA 8270D	GCMS	Chrysene
Aqueous/Solid	EPA 8270D	GCMS	Cresols (total)
Aqueous/Solid	EPA 8270D	GCMS	Dibenz(a,h)anthracene
Aqueous/Solid	EPA 8270D	GCMS	Dibenzofuran
Aqueous/Solid	EPA 8270D	GCMS	Diethylphthalate
Aqueous/Solid	EPA 8270D	GCMS	Dimethylphthalate
Aqueous/Solid	EPA 8270D	GCMS	Di-n-butylphthalate
Aqueous/Solid	EPA 8270D	GCMS	Di-n-octylphthalate
Aqueous/Solid	EPA 8270D	GCMS	Fluorene
Aqueous/Solid	EPA 8270D	GCMS	Fluoroanthene
Aqueous/Solid	EPA 8270D	GCMS	Hexachlorobenzene
Aqueous/Solid	EPA 8270D	GCMS	Hexachlorobutadiene
Aqueous/Solid	EPA 8270D	GCMS	Hexachlorocyclopentadiene
Aqueous/Solid	EPA 8270D	GCMS	Hexachloroethane
Aqueous/Solid	EPA 8270D	GCMS	Indeno(1,2,3-cd)pyrene
Aqueous/Solid	EPA 8270D	GCMS	Isophorone
Aqueous/Solid	EPA 8270D	GCMS	Naphthalene
Aqueous/Solid	EPA 8270D	GCMS	Nitrobenzene
Aqueous/Solid	EPA 8270D	GCMS	N-Nitro-di-n-propylamine
Aqueous/Solid	EPA 8270D	GCMS	N-Nitrosodimethylamine
Aqueous/Solid	EPA 8270D	GCMS	N-Nitrosodiphenylamine
Aqueous/Solid	EPA 8270D	GCMS	N-nitrosopyrrolidine
Aqueous/Solid	EPA 8270D	GCMS	Pentachlorophenol
Aqueous/Solid	EPA 8270D	GCMS	Phenanthrene



Certificate of Accreditation: Supplement
ISO/IEC 17025:2005 and DoD-ELAP

Environmental Monitoring & Technologies, Inc.

8100 North Austin Avenue, Morton Grove, IL 60053
Contact: Sabina Stankevicius Phone: 847-324-3341

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid	EPA 8270D	GCMS	Phenol
Aqueous/Solid	EPA 8270D	GCMS	Phorate
Aqueous/Solid	EPA 8270D	GCMS	Pyrene
Aqueous/Solid	EPA 8270D	GCMS	Pyridine
Aqueous/Solid	EPA 8310	HPLC	Acenaphthene
Aqueous/Solid	EPA 8310	HPLC	Acenaphthylene
Aqueous/Solid	EPA 8310	HPLC	Anthracene
Aqueous/Solid	EPA 8310	HPLC	Benzo(a)anthracene
Aqueous/Solid	EPA 8310	HPLC	Benzo(a)pyrene
Aqueous/Solid	EPA 8310	HPLC	Benzo(b)fluoranthene
Aqueous/Solid	EPA 8310	HPLC	Benzo(g,h,i)perylene
Aqueous/Solid	EPA 8310	HPLC	Benzo(k)fluoranthene
Aqueous/Solid	EPA 8310	HPLC	Chrysene
Aqueous/Solid	EPA 8310	HPLC	Dibenz(a,h)anthracene
Aqueous/Solid	EPA 8310	HPLC	Fluoranthene
Aqueous/Solid	EPA 8310	HPLC	Fluorene
Aqueous/Solid	EPA 8310	HPLC	Indeno(1,2,3-cd)pyrene
Aqueous/Solid	EPA 8310	HPLC	Naphthalene
Aqueous/Solid	EPA 8310	HPLC	Phenathrene
Aqueous/Solid	EPA 8310	HPLC	Pyrene
Aqueous/Solid	EPA 8318A	HPLC	3-Hydroxycarbofuran
Aqueous/Solid	EPA 8318A	HPLC	Aldicarb (Temik)
Aqueous/Solid	EPA 8318A	HPLC	Aldicarb sulfone
Aqueous/Solid	EPA 8318A	HPLC	Aldicarb sulfoxide
Aqueous/Solid	EPA 8318A	HPLC	Baygon (Propxur)
Aqueous/Solid	EPA 8318A	HPLC	Carbaryl (Sevin)
Aqueous/Solid	EPA 8318A	HPLC	Carbofuran (Furaden)
Aqueous/Solid	EPA 8318A	HPLC	Methiocarb (Mesurol)
Aqueous/Solid	EPA 8318A	HPLC	Methomyl (Lannate)
Aqueous/Solid	EPA 8318A	HPLC	Oxamyl
Aqueous/Solid	EPA 8321B	HPLC	2,4,5-T
Aqueous/Solid	EPA 8321B	HPLC	2,4,5-TP (Silvex)
Aqueous/Solid	EPA 8321B	HPLC	2,4-D
Aqueous/Solid	EPA 8321B	HPLC	2,4-DB
Aqueous/Solid	EPA 8321B	HPLC	Dalapon



Certificate of Accreditation: Supplement
ISO/IEC 17025:2005 and DoD-ELAP

Environmental Monitoring & Technologies, Inc.

8100 North Austin Avenue, Morton Grove, IL 60053
Contact: Sabina Stankevicius Phone: 847-324-3341

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid	EPA 8321B	HPLC	Dicamba
Aqueous/Solid	EPA 8321B	HPLC	Dichloroprop
Aqueous/Solid	EPA 8321B	HPLC	Dinoseb
Aqueous/Solid	EPA 8321B	HPLC	MCPA
Aqueous/Solid	EPA 8321B	HPLC	MCPP
Aqueous/Solid	EPA 8330A	HPLC	1,3,5-Trinitrobenzene
Aqueous/Solid	EPA 8330A	HPLC	1,3-Dinitrobenzene
Aqueous/Solid	EPA 8330A	HPLC	2,4,6-Trinitrotoluene
Aqueous/Solid	EPA 8330A	HPLC	2,4-Dinitrotoluene
Aqueous/Solid	EPA 8330A	HPLC	2,6-Dinitrotoluene
Aqueous/Solid	EPA 8330A	HPLC	3,5-Dinitrotoluene
Aqueous/Solid	EPA 8330A	HPLC	2-amino-4,6-dinitrotoluene
Aqueous/Solid	EPA 8330A	HPLC	2-Nitrotoluene
Aqueous/Solid	EPA 8330A	HPLC	3-Nitrotoluene
Aqueous/Solid	EPA 8330A	HPLC	4-amino-2,6-dinitrotoluene
Aqueous/Solid	EPA 8330A	HPLC	4-Nitrotoluene
Aqueous/Solid	EPA 8330A	HPLC	HMX
Aqueous/Solid	EPA 8330A	HPLC	Nitrobenzene
Aqueous/Solid	EPA 8330A	HPLC	RDX
Aqueous/Solid	EPA 8330A	HPLC	Tertyl
Aqueous/Solid	EPA 8330B	HPLC	1,3,5-Trinitrobenzene
Aqueous/Solid	EPA 8330B	HPLC	1,3-Dinitrobenzene
Aqueous/Solid	EPA 8330B	HPLC	2,4,6-Trinitrotoluene
Aqueous/Solid	EPA 8330B	HPLC	2,4-Dinitrotoluene
Aqueous/Solid	EPA 8330B	HPLC	2,6-Dinitrotoluene
Aqueous/Solid	EPA 8330B	HPLC	2-amino-4,6-dinitrotoluene
Aqueous/Solid	EPA 8330B	HPLC	2-Nitrotoluene
Aqueous/Solid	EPA 8330B	HPLC	3,5-Dinitroaniline
Aqueous/Solid	EPA 8330B	HPLC	3-Nitrotoluene
Aqueous/Solid	EPA 8330B	HPLC	4-amino-2,6-dinitrotoluene
Aqueous/Solid	EPA 8330B	HPLC	4-Nitrotoluene
Aqueous/Solid	EPA 8330B	HPLC	HMX
Aqueous/Solid	EPA 8330B	HPLC	Nitrobenzene
Aqueous/Solid	EPA 8330B	HPLC	Nitroglycerin
Aqueous/Solid	EPA 8330B	HPLC	PETN




Certificate of Accreditation: Supplement
 ISO/IEC 17025:2005 and DoD-ELAP

Environmental Monitoring & Technologies, Inc.

8100 North Austin Avenue, Morton Grove, IL 60053
 Contact: Sabina Stankevicius Phone: 847-324-3341

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid	EPA 8330B	HPLC	RDX
Aqueous/Solid	EPA 8330B	HPLC	Tertyl
Aqueous/Solid	SM 3500-CrD/EPA 7196A	Colorimetric	Hexavalent Chromium
Aqueous/Solid	SM 4500-CN C,E/SW9014	Colorimetric	Cyanide, total
Aqueous/Solid	SM 4500H+B/EPA 9045C	ISE	pH
Aqueous/Solid	SM 4500S-F/EPA 9030/EPA 9034	Titrimetric	Sulfide
Aqueous/Solid	WI DRO	GC-FID	WI DRO
Aqueous/Solid	WI GRO	GC-FID	WI GRO





Certificate of Accreditation: Supplement
ISO/IEC 17025:2005 and DoD-ELAP

Environmental Monitoring & Technologies, Inc.

8100 North Austin Avenue, Morton Grove, IL 60053
Contact: Sabina Stankevicius Phone: 847-324-3334

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	EPA 3015A	Preparation	Metals Digestion
Aqueous	EPA 3510C	Preparation	Separatory Funnel Extraction
Solid	EPA 1010	Pensky-Martin	Ignitability
Solid	EPA 3050B	Preparation	Metals Digestion
Solid	EPA 3540C	Preparation	Soxhlet Extraction
Solid	EPA 3550C	Preparation	Sonication Extraction
Solid	EPA 5035A	Preparation	Purge and Trap-Volatiles
Solid	EPA 9060A	UV-Vis	Total Organic Carbon (TOC)
Solid	EPA 9071B	Gravimetric	Grease & Oil (Gravimetric)
Aqueous/Solid	EPA 1311	Preparation	TCLP
Aqueous/Solid	EPA 1312	Preparation	SPLP
Aqueous/Solid	EPA 3546	Preparation	Microwave Digestion
Aqueous/Solid	EPA 3620C	Clean Up	Florisil Clean Up
Aqueous/Solid	EPA 3660B	Clean Up	Sulfur Clean Up
Aqueous/Solid	EPA 3665A	Clean Up	Sulfuric Acid Clean Up
Aqueous/Solid	EPA 5030B	Preparation	Purge and Trap-Volatiles
Aqueous/Solid	EPA 5050	Preparation	Oxygen Bomb